

WHAT IS CLAIMED IS:

1. A nose filter comprising:
 - a base assembly;
 - a filter material;
 - releasable attachment means carried on peripheral edge marginal regions of said base assembly for retaining said filter material thereon; and
 - ear support members pivotally carried on said base assembly for removably retaining said base assembly and said filter material on a facial area.
2. The nose filter defined in Claim 1 wherein:
 - said base assembly includes a pair of rigid plates supporting said filter material and said ear support members; and
 - said rigid plates having conformal grooves for pivotally mounting said ear supporting members.
3. The nose filter defined in Claim 2 wherein:
 - said ear supporting members include a pair of ear pieces having ear semi-loops at one end and opposite ends joined by a pivot bar disposed in said grooves of said plates.
4. The nose filter defined in Claim 3 wherein:
 - said rigid plates including openings in alignment to allow passage of ambient air to said filter material.

5. The nose filter defined in Claim 4 wherein:
said filter material is a pad composed of a close-mesh,
open cell foam.
6. The nose filter defined in Claim 5 wherein:
said ear supported members are joined together by said
pivot bar and said pivot bar is disposed in rotational relationship
in said conformal grooves.
7. A nose filter comprising:
a base assembly;
a filter material having a front wall and sidewalls;
a cup-like form carried on said base assembly having an
open cavity for insertably receiving said filter material;
releasable attachment means carried on peripheral edge
marginal regions of said cup-like form for retaining said filter
material thereon in said cavity; and
ear support members pivotally carried on said base
assembly for removably retaining said base assembly and said
filter material on a facial area.
8. The nose filter defined in Claim 7 wherein:
said base assembly includes a pair of rigid plates
supporting said cup-like form;
said ear support members having a pivot bar; and
said rigid plates having aligned grooves for pivotally
mounting said pivot bar of said ear supporting members.

9. The nose filter defined in Claim 8 wherein:

said ear supporting members include a pair of ear pieces having ear semi-loops at one end and opposite ends joined by said pivot bar disposed in said grooves of said plates.